

Table 10. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Anadromous spp.															
American shad	Mean	0.000	0.000	0.091	0.042	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.448	0.031
	SE	0.000	0.000	0.025	0.007	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.169	0.004
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Hickory Shad	Mean	0.000	0.000	0.056	0.003	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006
	SE	0.000	0.000	0.036	0.003	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.004
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
River Herring	Mean	0.000	0.000	0.000	0.005	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	SE	0.000	0.000	0.000	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Sea lamprey	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Striped bass	Mean	0.154	0.000	0.000	0.018	0.040	1.226	0.416	0.082	0.005	0.016	0.000	0.104	0.127	
	SE	0.154	0.000	0.000	0.009	0.013	0.335	0.143	0.031	0.005	0.016	0.000	0.068	0.025	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Catadromous spp.															
American eel	Mean	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Potadromous spp.															
Black Bass															
Largemouth bass	Mean	0.000	0.000	0.000	0.003	0.000	0.001	0.000	0.018	0.119	0.058	0.000	0.000	0.008	
	SE	0.000	0.000	0.000	0.002	0.000	0.001	0.000	0.009	0.047	0.046	0.000	0.000	0.002	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Smallmouth bass	Mean	0.000	0.000	0.009	0.035	0.516	1.174	1.342	0.672	0.254	0.364	0.055	0.133	0.338	
	SE	0.000	0.000	0.005	0.007	0.065	0.146	0.198	0.106	0.062	0.157	0.055	0.089	0.024	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Catfish															
Brown bullhead	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006	0.000	0.000	0.000	0.000	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. –Continued.															
Catfish – Continued.															
Channel catfish	Mean	0.000		0.000	0.001	0.003	0.032	0.078	0.032	0.042	0.229	0.216	0.000	0.018	0.030
	SE	0.000		0.000	0.001	0.001	0.013	0.030	0.018	0.014	0.053	0.123	0.000	0.018	0.005
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
White catfish	Mean	0.000		0.000	0.001	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	SE	0.000		0.000	0.001	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Minnow															
Chubb spp.	Mean	0.000		0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	SE	0.000		0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Common carp	Mean	0.000		0.000	0.001	0.003	0.000	0.003	0.000	0.005	0.118	0.014	0.000	0.000	0.006
	SE	0.000		0.000	0.001	0.002	0.000	0.003	0.000	0.005	0.033	0.014	0.000	0.000	0.002
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Fallfish	Mean	0.000		0.000	0.002	0.016	0.037	0.033	0.026	0.034	0.041	0.009	0.000	0.000	0.022
	SE	0.000		0.000	0.002	0.003	0.007	0.011	0.009	0.014	0.018	0.006	0.000	0.000	0.002
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Herring															
Gizzard shad	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Panfish															
Black crappie	Mean	0.000		0.000	0.000	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	SE	0.000		0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Bluegill	Mean	0.000		0.000	0.009	0.009	0.000	0.003	0.000	0.040	0.060	0.000	0.051	0.000	0.011
	SE	0.000		0.000	0.008	0.003	0.000	0.003	0.000	0.012	0.023	0.000	0.051	0.000	0.002
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Green sunfish	Mean	0.000		0.000	0.000	0.003	0.001	0.008	0.036	0.007	0.006	0.000	0.000	0.000	0.005
	SE	0.000		0.000	0.000	0.002	0.001	0.005	0.026	0.005	0.006	0.000	0.000	0.000	0.002
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. –Continued.															
Panfish- Continued.															
Pumpkinseed	Mean	0.000		0.000	0.001	0.001	0.000	0.000	0.000	0.007	0.027	0.000	0.000	0.000	0.002
	SE	0.000		0.000	0.001	0.001	0.000	0.000	0.000	0.005	0.012	0.000	0.000	0.000	0.001
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Redbreast sunfish	Mean	0.000		0.000	0.007	0.030	0.055	0.132	0.174	0.129	0.116	0.054	0.000	0.000	0.059
	SE	0.000		0.000	0.005	0.011	0.012	0.027	0.040	0.027	0.037	0.033	0.000	0.000	0.007
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Rock bass	Mean	0.000		0.000	0.000	0.003	0.036	0.053	0.037	0.007	0.000	0.000	0.000	0.000	0.014
	SE	0.000		0.000	0.000	0.001	0.008	0.017	0.016	0.003	0.000	0.000	0.000	0.000	0.002
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
White crappie	Mean	0.769		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.039	0.000	2.129	0.000	0.011
	SE	0.628		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.018	0.000	1.026	0.000	0.005
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
White perch	Mean	0.000		0.000	0.000	0.003	0.039	0.427	0.481	0.087	0.010	0.000	0.000	0.000	0.071
	SE	0.000		0.000	0.000	0.002	0.017	0.108	0.148	0.034	0.010	0.000	0.000	0.000	0.012
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Yellow perch	Mean	0.000		0.000	0.000	0.001	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.001
	SE	0.000		0.000	0.000	0.001	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Pike															
Chain pickerel	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000	0.000
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Muskellunge	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Northern pike	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726
Tiger muskellunge	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	3		10	152	773	323	112	96	149	60	33	7	8	1726

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. –Continued.															
Suckers															
White sucker	Mean	0.000	0.000	0.005	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	SE	0.000	0.000	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Trout															
Brook trout	Mean	0.000	0.000	0.002	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002	
	SE	0.000	0.000	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Brown trout	Mean	0.000	0.050	0.333	0.157	0.095	0.086	0.149	0.097	0.058	0.162	0.000	0.000	0.145	
	SE	0.000	0.050	0.030	0.009	0.010	0.019	0.027	0.016	0.019	0.066	0.000	0.000	0.006	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Rainbow trout	Mean	0.000	0.000	0.082	0.142	0.089	0.025	0.019	0.079	0.060	0.212	0.000	0.000	0.103	
	SE	0.000	0.000	0.024	0.008	0.011	0.009	0.008	0.013	0.019	0.099	0.000	0.000	0.005	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Rainbow trout - Golden	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Tiger trout	Mean	0.000	0.000	0.000	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	SE	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Walleye	Mean	0.462	0.000	0.002	0.002	0.003	0.007	0.003	0.013	0.018	0.543	0.278	0.054	0.017	
	SE	0.462	0.000	0.001	0.001	0.001	0.003	0.002	0.005	0.009	0.126	0.167	0.038	0.003	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Other															
Oscar	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	
Unknown spp.	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.070	0.264	0.000	0.000	0.000	0.000	0.027	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.032	0.111	0.000	0.000	0.000	0.000	0.010	
	n	3	10	152	773	323	112	96	149	60	33	7	8	1726	

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
Anadromous spp.															
American shad	Mean	0.000	0.000	0.052	0.036	0.002	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.007
	SE	0.000	0.000	0.052	0.014	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Hickory shad	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
River herring	Mean	0.000	0.000	0.000	0.009	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.020
	SE	0.000	0.000	0.000	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Sea lamprey	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Striped bass	Mean	0.000	0.000	0.000	0.003	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	SE	0.000	0.000	0.000	0.003	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Catadromous spp.															
American eel	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Potadromous spp.															
Black Bass															
Largemouth bass	Mean	0.000	0.000	0.000	0.012	0.002	0.002	0.003	0.000	0.004	0.000	0.031	0.000	0.004	
	SE	0.000	0.000	0.000	0.006	0.001	0.002	0.003	0.000	0.003	0.000	0.021	0.000	0.001	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Smallmouth bass	Mean	0.000	0.000	0.100	0.125	0.051	0.208	2.632	2.989	0.622	0.594	0.389	0.065	0.346	
	SE	0.000	0.000	0.071	0.041	0.018	0.057	0.414	0.337	0.130	0.162	0.175	0.044	0.032	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Catfish															
Brown bullhead	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
Potadromous spp. – Continued.															
Catfish – Continued.															
Channel catfish	Mean	0.000	0.000	0.000	0.001	0.007	0.027	0.000	0.000	0.000	0.000	0.661	0.170	0.018	
	SE	0.000	0.000	0.000	0.001	0.006	0.013	0.000	0.000	0.000	0.000	0.236	0.095	0.005	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
White catfish	Mean	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Minnow															
Common carp	Mean	0.000	0.000	0.000	0.024	0.017	0.021	0.000	0.000	0.001	0.000	0.458	0.125	0.022	
	SE	0.000	0.000	0.000	0.011	0.006	0.009	0.000	0.000	0.001	0.000	0.151	0.069	0.004	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Fallfish	Mean	0.000	0.000	0.000	0.001	0.015	0.020	0.020	0.057	0.045	0.045	0.031	0.000	0.018	
	SE	0.000	0.000	0.000	0.001	0.003	0.005	0.011	0.017	0.015	0.022	0.024	0.000	0.002	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Grass Carp	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Mirror carp	Mean	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.016	0.000	0.000	
	SE	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.016	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Herring															
Gizzard shad	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Panfish															
Black crappie	Mean	0.000	0.000	0.000	0.028	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.044	0.005	
	SE	0.000	0.000	0.000	0.023	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.044	0.003	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Bluegill	Mean	0.000	0.000	0.080	0.050	0.006	0.005	0.000	0.000	0.000	0.000	0.019	0.000	0.012	
	SE	0.000	0.000	0.080	0.027	0.003	0.004	0.000	0.000	0.000	0.000	0.019	0.000	0.004	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Potadromous spp. – Continued.														
Panfish – Continued.														
Green sunfish	Mean	0.000	0.000	0.000	0.001	0.003	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	SE	0.000	0.000	0.000	0.001	0.001	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Pumpkinseed	Mean	0.000	0.000	0.022	0.011	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.003
	SE	0.000	0.000	0.022	0.005	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Redbreast sunfish	Mean	0.000	0.000	0.086	0.175	0.017	0.028	0.123	0.209	0.067	0.000	0.075	0.000	0.057
	SE	0.000	0.000	0.048	0.057	0.006	0.012	0.044	0.051	0.045	0.000	0.058	0.000	0.100
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Rock bass	Mean	0.000	0.000	0.000	0.000	0.000	0.004	0.080	0.057	0.003	0.000	0.000	0.000	0.006
	SE	0.000	0.000	0.000	0.000	0.000	0.003	0.029	0.020	0.002	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
White crappie	Mean	0.125	0.000	0.863	0.085	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.023
	SE	0.125	0.000	0.493	0.036	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
White Perch	Mean	0.000	0.000	0.000	0.014	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	SE	0.000	0.000	0.000	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Yellow perch	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.006	0.002	0.000	0.007	0.000	0.000	0.001
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.004	0.002	0.000	0.007	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Pike														
Chain pickerel	Mean	0.125	0.000	0.000	0.001	0.001	0.000	0.003	0.002	0.001	0.000	0.000	0.000	0.001
	SE	0.125	0.000	0.000	0.001	0.001	0.000	0.003	0.002	0.001	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Muskellunge	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Northern pike	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Potadromous spp. – Continued.														
Pike –Continued.														
Tiger muskellunge	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Suckers														
White sucker	Mean	0.000	0.000	0.000	0.001	0.000	0.000	0.003	0.000	0.002	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.001	0.000	0.000	0.003	0.000	0.002	0.000	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Trout														
Brook trout	Mean	0.000	0.000	0.000	0.000	0.003	0.002	0.000	0.000	0.002	0.000	0.000	0.000	0.002
	SE	0.000	0.000	0.000	0.000	0.001	0.001	0.000	0.000	0.002	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Brown trout	Mean	0.000	0.000	0.000	0.230	0.222	0.236	0.050	0.069	0.288	0.124	0.000	0.000	0.207
	SE	0.000	0.000	0.000	0.027	0.010	0.018	0.018	0.025	0.042	0.023	0.000	0.000	0.008
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Rainbow trout	Mean	0.000	0.000	0.000	0.048	0.097	0.141	0.026	0.004	0.055	0.056	0.008	0.000	0.084
	SE	0.000	0.000	0.000	0.009	0.008	0.015	0.015	0.003	0.012	0.017	0.008	0.000	0.005
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Rainbow trout - Golden	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Tiger trout	Mean	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Trout spp.	Mean	0.000	0.000	0.000	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	SE	0.000	0.000	0.000	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310
Walleye	Mean	0.125	0.000	0.177	0.023	0.004	0.018	0.038	0.012	0.102	0.104	0.464	0.170	0.029
	SE	0.125	0.000	0.088	0.012	0.001	0.006	0.017	0.008	0.025	0.037	0.166	0.090	0.004
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310

Table 10. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate all anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 2 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All	
		1	2	3	4	5	6	7	8	9	10	11	12		Not specified
2006															
Potadromous spp. – Continued.															
Other															
Goldfish	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.023	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.023	0.000	0.000
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
Unknown spp.	Mean	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.018	0.000	0.001	
	SE	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.018	0.000	0.001	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	
White koi	Mean	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	192	625	225	39	54	85	41	16	10	1310	

Table 11. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Anadromous spp.															
American shad	Mean	0.000		0.000	0.287	0.173	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.058
	SE	0.000		0.169	0.094	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008
	n	3		9	27	60	75	32	15	41	25	16	7		310
Hickory Shad	Mean	0.000		0.000	0.315	0.043	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.036	
	SE	0.000		0.345	0.065	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
River Herring	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.004	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Sea lamprey	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Striped bass	Mean	0.154		0.000	0.000	0.230	0.067	4.217	2.663	0.299	0.011	0.034	0.000	0.669	
	SE	0.154		0.000	0.177	0.031	0.653	0.466	0.176	0.009	0.027	0.000	0.000	0.006	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Catadromous spp.															
American eel	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Potadromous spp.															
Black Bass															
Largemouth bass	Mean	0.000		0.000	0.000	0.036	0.000	0.000	0.000	0.060	0.275	0.119	0.000	0.043	
	SE	0.000		0.000	0.030	0.000	0.000	0.000	0.051	0.082	0.075	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Smallmouth bass	Mean	0.000		0.000	0.022	0.023	0.028	0.000	0.046	0.561	0.414	0.033	0.055	0.126	
	SE	0.000		0.039	0.020	0.020	0.000	0.022	0.245	0.084	0.018	0.037	0.000	0.060	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Catfish															
Brown bullhead	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.019	0.000	0.000	0.002	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.010	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. – Continued.															
Catfish – Continued.															
Channel catfish	Mean	0.000		0.000	0.006	0.026	0.129	0.272	0.202	0.149	0.549	0.446	0.000	0.162	
	SE	0.000		0.010	0.021	0.059	0.064	0.073	0.076	0.074	0.196	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
White catfish	Mean	0.000		0.000	0.006	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	SE	0.000		0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Minnow															
Chubb spp.	Mean	0.000		0.000	0.000	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002	
	SE	0.000		0.000	0.015	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Common carp	Mean	0.000		0.000	0.006	0.040	0.000	0.011	0.000	0.017	0.284	0.029	0.000	0.036	
	SE	0.000		0.010	0.031	0.000	0.007	0.000	0.027	0.052	0.023	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Fallfish	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.011	0.000	0.000	0.001	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.008	0.000	0.000	0.000	0.006	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Herring															
Gizzard shad	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Panfish															
Black crappie	Mean	0.000		0.000	0.000	0.041	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.008	
	SE	0.000		0.000	0.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Bluegill	Mean	0.000		0.000	0.051	0.113	0.000	0.009	0.000	0.144	0.144	0.000	0.051	0.059	
	SE	0.000		0.078	0.061	0.000	0.006	0.000	0.067	0.039	0.000	0.034	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Green sunfish	Mean	0.000		0.000	0.000	0.038	0.006	0.026	0.228	0.024	0.014	0.000	0.000	0.027	
	SE	0.000		0.000	0.029	0.007	0.012	0.112	0.029	0.011	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. – Continued.															
Panfish – Continued.															
Pumpkinseed	Mean	0.000		0.000	0.006	0.012	0.000	0.000	0.000	0.025	0.064	0.000	0.000	0.011	
	SE	0.000		0.010	0.013	0.000	0.000	0.000	0.029	0.022	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Redbreast sunfish	Mean	0.000		0.000	0.040	0.371	0.029	0.054	0.248	0.365	0.268	0.111	0.000	0.175	
	SE	0.000		0.044	0.205	0.018	0.018	0.087	0.128	0.061	0.053	0.000	0.000	0.009	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Rock bass	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
White crappie	Mean	0.769		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.093	0.000	2.129	0.063	
	SE	0.628		0.000	0.000	0.000	0.000	0.000	0.031	0.000	0.679	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
White perch	Mean	0.000		0.000	0.000	0.012	0.168	1.493	3.047	0.309	0.024	0.000	0.000	0.387	
	SE	0.000		0.000	0.014	0.082	0.202	0.433	0.192	0.019	0.000	0.000	0.000	0.002	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Yellow perch	Mean	0.000		0.000	0.000	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002	
	SE	0.000		0.000	0.013	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Pike															
Chain pickerel	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.016	0.000	0.001	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.013	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Muskellunge	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Northern pike	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Tiger muskellunge	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. – Continued.															
Suckers															
White sucker	Mean	0.000		0.000	0.000	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002	
	SE	0.000		0.000	0.012	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Trout															
Brook trout	Mean	0.000		0.000	0.000	0.007	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	SE	0.000		0.000	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Brown trout	Mean	0.000		0.000	0.009	0.066	0.202	0.086	0.064	0.096	0.000	0.000	0.000	0.087	
	SE	0.000		0.015	0.033	0.032	0.021	0.030	0.050	0.000	0.000	0.000	0.000	0.015	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Rainbow trout	Mean	0.000		0.000	0.000	0.057	0.118	0.026	0.008	0.041	0.000	0.000	0.000	0.048	
	SE	0.000		0.000	0.024	0.039	0.011	0.005	0.032	0.000	0.000	0.000	0.000	0.013	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Rainbow trout - Golden	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Tiger trout	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Walleye	Mean	0.462		0.000	0.000	0.007	0.000	0.000	0.000	0.000	0.010	0.613	0.278	0.045	
	SE	0.462		0.000	0.008	0.000	0.000	0.000	0.000	0.008	0.125	0.111	0.000	0.006	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Other															
Oscar	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	
Unknown spp.	Mean	0.000		0.000	0.000	0.000	0.000	0.000	0.450	0.959	0.000	0.000	0.000	0.149	
	SE	0.000		0.000	0.000	0.000	0.000	0.120	0.632	0.000	0.000	0.000	0.000	0.000	
	n	3		9	27	60	75	32	15	41	25	16	7	310	

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
Anadromous spp.															
American shad	Mean	0.000	0.000	0.052	0.161	0.000	0.000					0.000	0.000	0.053	
	SE	0.000	0.000	0.052	0.065	0.000	0.000					0.000	0.000	0.021	
	n	5	2	16	37	40	7					10	10	127	
Hickory shad	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
River herring	Mean	5	2	16	37	40	7					10	10	127	
	SE	0.000	0.000	0.000	0.047	0.000	0.000					0.000	0.000	0.014	
	n	0.000	0.000	0.000	0.047	0.000	0.000					0.000	0.000	0.014	
Sea lamprey	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Striped bass	Mean	0.000	0.000	0.000	0.017	0.000	0.000					0.000	0.000	0.005	
	SE	0.000	0.000	0.000	0.017	0.000	0.000					0.000	0.000	0.005	
	n	5	2	16	37	40	7					10	10	127	
Catadromous spp.															
American eel	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Potadromous spp.															
Black Bass															
Largemouth bass	Mean	0.000	0.000	0.000	0.065	0.030	0.060					0.000	0.000	0.031	
	SE	0.000	0.000	0.000	0.031	0.018	0.060					0.000	0.000	0.011	
	n	5	2	16	37	40	7					10	10	127	
Smallmouth bass	Mean	0.000	0.000	0.100	0.586	0.531	0.385					0.072	0.065	0.383	
	SE	0.000	0.000	0.071	0.193	0.262	0.122					0.072	0.044	0.102	
	n	5	2	16	37	40	7					10	10	127	
Catfish															
Brown bullhead	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
Potadromous spp. –Continued.															
Catfish – Continued.															
Channel catfish	Mean	0.000	0.000	0.000	0.005	0.113	0.857						1.057	0.170	0.181
	SE	0.000	0.000	0.000	0.005	0.086	0.281						0.320	0.095	0.049
	n	5	2	16	37	40	7						10	10	127
White catfish	Mean	0.000	0.000	0.000	0.000	0.000	0.045						0.000	0.000	0.002
	SE	0.000	0.000	0.000	0.000	0.000	0.045						0.000	0.000	0.002
	n	5	2	16	37	40	7						10	10	127
Minnow															
Common carp	Mean	0.000	0.000	0.000	0.126	0.270	0.670						0.734	0.125	0.226
	SE	0.000	0.000	0.000	0.056	0.077	0.186						0.197	0.069	0.039
	n	5	2	16	37	40	7						10	10	127
Fallfish	Mean	0.000	0.000	0.000	0.000	0.000	0.000						0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000						0.000	0.000	0.000
	n	5	2	16	37	40	7						10	10	127
Grass Carp	Mean	0.000	0.000	0.000	0.000	0.000	0.000						0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000						0.000	0.000	0.000
	n	5	2	16	37	40	7						10	10	127
Mirror carp	Mean	0.000	0.000	0.000	0.005	0.000	0.000						0.025	0.000	0.003
	SE	0.000	0.000	0.000	0.005	0.000	0.000						0.025	0.000	0.002
	n	5	2	16	37	40	7						10	10	127
Herring															
Gizzard shad	Mean	0.000	0.000	0.000	0.000	0.000	0.000						0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000						0.000	0.000	0.000
	n	5	2	16	37	40	7						10	10	127
Panfish															
Black crappie	Mean	0.000	0.000	0.000	0.144	0.034	0.000						0.000	0.044	0.056
	SE	0.000	0.000	0.000	0.120	0.022	0.000						0.000	0.044	0.036
	n	5	2	16	37	40	7						10	10	127
Bluegill	Mean	0.000	0.000	0.080	0.259	0.090	0.165						0.030	0.000	0.125
	SE	0.000	0.000	0.080	0.135	0.039	0.121						0.030	0.000	0.043
	n	5	2	16	37	40	7						10	10	127

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												
		1	2	3	4	5	6	7	8	9	10	11	12	Not specified
2006														
Potadromous spp. –Continued.														
Panfish – Continued.														
Green sunfish	Mean	0.000	0.000	0.000	0.006	0.040	0.105					0.000	0.000	0.020
	SE	0.000	0.000	0.000	0.006	0.022	0.069					0.000	0.000	0.008
	n	5	2	16	37	40	7					10	10	127
Pumpkinseed	Mean	0.000	0.000	0.022	0.056	0.042	0.000					0.000	0.000	0.032
	SE	0.000	0.000	0.022	0.026	0.022	0.000					0.000	0.000	0.011
	n	5	2	16	37	40	7					10	10	127
Redbreast sunfish	Mean	0.000	0.000	0.086	0.909	0.261	0.631					0.121	0.000	0.402
	SE	0.000	0.000	0.048	0.265	0.087	0.279					0.092	0.000	0.089
	n	5	2	16	37	40	7					10	10	127
Rock bass	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	n	5	2	16	37	40	7					10	10	127
White crappie	Mean	0.125	0.000	0.863	0.440	0.000	0.000					0.000	0.000	0.242
	SE	0.125	0.000	0.493	0.176	0.000	0.000					0.000	0.000	0.084
	N	5	2	16	37	40	7					10	10	127
White perch	Mean	0.000	0.000	0.000	0.071	0.000	0.000					0.000	0.000	0.021
	SE	0.000	0.000	0.000	0.031	0.000	0.000					0.000	0.000	0.028
	N	5	2	16	37	40	7					10	10	127
Yellow perch	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	n	5	2	16	37	40	7					10	10	127
Pike														
Chain pickerel	Mean	0.125	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.005
	SE	0.125	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.005
	n	5	2	16	37	40	7					10	10	127
Muskellunge	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	n	5	2	16	37	40	7					10	10	127
Northern pike	Mean	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	SE	0.000	0.000	0.000	0.000	0.000	0.000					0.000	0.000	0.000
	n	5	2	16	37	40	7					10	10	127

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
Potadromous spp. –Continued.															
Pike – Continued.															
Tiger muskellunge	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Suckers															
White sucker	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Trout															
Brook trout	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Brown trout	Mean	0.000	0.000	0.000	0.000	0.093	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.029	
	SE	0.000	0.000	0.000	0.000	0.031	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.010	
	n	5	2	16	37	40	7					10	10	127	
Rainbow trout	Mean	0.000	0.000	0.000	0.003	0.017	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.006	
	SE	0.000	0.000	0.000	0.003	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.003	
	n	5	2	16	37	40	7					10	10	127	
Rainbow trout - Golden	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Tiger trout	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Trout spp.	Mean	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n	5	2	16	37	40	7					10	10	127	
Walleye	Mean	0.125	0.000	0.177	0.107	0.008	0.000	0.000	0.000	0.542	0.170	0.542	0.170	0.117	
	SE	0.125	0.000	0.088	0.063	0.008	0.000	0.000	0.000	0.256	0.090	0.256	0.090	0.032	
	n	5	2	16	37	40	7					10	10	127	

Table 11. Cont. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
Potadromous spp. –Continued.															
Other															
Goldfish	Mean	0.000	0.000	0.000	0.000	0.000	0.000						0.037	0.000	0.003
	SE	0.000	0.000	0.000	0.000	0.000	0.000						0.037	0.000	0.003
	n	5	2	16	37	40	7						10	10	127
Unknown spp.	Mean	0.000	0.000	0.000	0.000	0.024	0.000						0.029	0.000	0.010
	SE	0.000	0.000	0.000	0.000	0.018	0.000						0.029	0.000	0.006
	n	5	2	16	37	40	7						10	10	127
White koi	Mean	0.000	0.000	0.000	0.008	0.000	0.000						0.000	0.000	0.002
	SE	0.000	0.000	0.000	0.008	0.000	0.000						0.000	0.000	0.002
	n	5	2	16	37	40	7						10	10	127

Table 12. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Anadromous spp.															
American shad	Mean			0.000	0.048	0.031	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.448	0.024
	SE				0.021	0.006	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.169	0.004
	n			1	125	713	248	80	81	108	35	17		8	1416
Hickory Shad	Mean			0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
River Herring	Mean			0.000	0.000	0.005	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.003
	SE				0.000	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	n			1	125	713	248	80	81	108	35	17		8	1416
Sea lamprey	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Striped bass	Mean			0.000	0.000	0.001	0.031	0.030	0.000	0.000	0.000	0.000	0.000	0.104	0.008
	SE				0.000	0.000	0.015	0.018	0.000	0.000	0.000	0.000	0.000	0.068	0.003
	n			1	125	713	248	80	81	108	35	17		8	1416
Catadromous spp.															
American eel	Mean			0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Potadromous spp.															
Black Bass															
Largemouth bass	Mean			0.000	0.000	0.000	0.001	0.001	0.000	0.002	0.007	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.001	0.001	0.000	0.002	0.007	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Smallmouth bass	Mean			0.000	0.007	0.036	0.664	1.644	1.582	0.714	0.139	0.676	0.000	0.133	0.385
	SE				0.004	0.007	0.082	0.179	0.225	0.135	0.070	0.288	0.000	0.089	0.028
	n			1	125	713	248	80	81	108	35	17		8	1416
Catfish															
Brown bullhead	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Potadromous spp. – Continued.															
Catfish – Continued.															
Channel catfish	Mean			0.000	0.000	0.001	0.003	0.000	0.000	0.002	0.000	0.000		0.018	0.001
	SE				0.000	0.000	0.002	0.000	0.000	0.002	0.000	0.000		0.018	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
White catfish	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000		0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.002	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Minnow															
Chubb spp.	Mean			0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.001
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Common carp	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Fallfish	Mean			0.000	0.003	0.018	0.048	0.047	0.031	0.047	0.062	0.017		0.000	0.027
	SE				0.003	0.003	0.009	0.016	0.010	0.019	0.030	0.012		0.000	0.003
	n			1	125	713	248	80	81	108	35	17		8	1416
Herring															
Gizzard shad	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Panfish															
Black crappie	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Bluegill	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Green sunfish	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000		0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All	
		1	2	3	4	5	6	7	8	9	10	11	12		Not specified
2005															
Potadromous spp. – Continued.															
Panfish – Continued.															
Pumpkinseed	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Redbreast sunfish	Mean			0.000	0.000	0.001	0.063	0.164	0.160	0.040	0.007	0.000	0.000	0.000	0.033
	SE				0.000	0.001	0.015	0.036	0.042	0.015	0.007	0.000	0.000	0.000	0.004
	n			1	125	713	248	80	81	108	35	17		8	1416
Rock bass	Mean			0.000	0.000	0.003	0.047	0.074	0.044	0.009	0.000	0.000	0.000	0.000	0.017
	SE				0.000	0.001	0.010	0.023	0.019	0.004	0.000	0.000	0.000	0.000	0.003
	n			1	125	713	248	80	81	108	35	17		8	1416
White crappie	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
White perch	Mean			0.000	0.000	0.002	0.000	0.000	0.006	0.002	0.000	0.000	0.000	0.000	0.002
	SE				0.000	0.002	0.000	0.000	0.004	0.002	0.000	0.000	0.000	0.000	0.001
	n			1	125	713	248	80	81	108	35	17		8	1416
Yellow perch	Mean			0.000	0.000	0.000	0.001	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.001	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Pike															
Chain pickerel	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Muskellunge	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Northern pike	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Tiger muskellunge	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All	
		1	2	3	4	5	6	7	8	9	10	11	12		Not specified
2005															
Potadromous spp. – Continued.															
Suckers															
White sucker	Mean			0.000	0.006	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	SE				0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			1	125	713	248	80	81	108	35	17		8	1416
Trout															
Brook trout	Mean			0.000	0.002	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	SE				0.002	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n			1	125	713	248	80	81	108	35	17		8	1416
Brown trout	Mean			0.500	0.403	0.165	0.063	0.087	0.165	0.098	0.100	0.314	0.000	0.158	
	SE				0.033	0.009	0.009	0.023	0.031	0.019	0.031	0.119	0.000	0.007	
	n			1	125	713	248	80	81	108	35	17		8	1416
Rainbow trout	Mean			0.000	0.100	0.149	0.080	0.024	0.022	0.094	0.102	0.412	0.000	0.115	
	SE				0.029	0.008	0.010	0.010	0.009	0.016	0.030	0.182	0.000	0.006	
	n			1	125	713	248	80	81	108	35	17		8	1416
Rainbow trout - Golden	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n			1	125	713	248	80	81	108	35	17		8	1416
Tiger trout	Mean			0.000	0.000	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.001	
	SE				0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n			1	125	713	248	80	81	108	35	17		8	1416
Walleye	Mean			0.000	0.002	0.002	0.004	0.010	0.004	0.018	0.024	0.476	0.054	0.011	
	SE				0.002	0.001	0.002	0.005	0.003	0.007	0.013	0.199	0.038	0.003	
	n			1	125	713	248	80	81	108	35	17		8	1416
Other															
Oscar	Mean			0.000	0.000	0.000	0.000	0.000	0.003	0.000	0.000	0.000	0.000	0.000	
	SE				0.000	0.000	0.000	0.000	0.003	0.000	0.000	0.000	0.000	0.000	
	n			1	125	713	248	80	81	108	35	17		8	1416
Unknown spp.	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n			1	125	713	248	80	81	108	35	17		8	1416

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Anadromous spp.														
American shad	Mean				0.006	0.002	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.002
	SE				0.004	0.001	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n				155	585	218	39	54	85	41	6		1183
Hickory shad	Mean				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n				155	585	218	39	54	85	41	6		1183
River herring	Mean				0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1183
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n				155	585	218	39	54	85	41	6		0.000
Sea lamprey	Mean				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n				155	585	218	39	54	85	41	6		1183
Striped bass	Mean				0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n				155	585	218	39	54	85	41	6		1183
Catadromous spp.														
American eel	Mean				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n				155	585	218	39	54	85	41	6		1183
Potadromous spp.														
Black Bass														
Largemouth bass	Mean				0.000	0.000	0.000	0.003	0.000	0.004	0.000	0.083	0.001	
	SE				0.000	0.000	0.000	0.003	0.000	0.003	0.000	0.053	0.000	
	n				155	585	218	39	54	85	41	6		1183
Smallmouth bass	Mean				0.015	0.018	0.203	2.632	2.989	0.622	0.594	0.917	0.342	
	SE				0.007	0.005	0.058	0.414	0.337	0.130	0.162	0.373	0.034	
	n				155	585	218	39	54	85	41	6		1183
Catfish														
Brown bullhead	Mean				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	SE				0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
	n				155	585	218	39	54	85	41	6		1183

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Potadromous spp. – Continued.														
Catfish – Continued.														
Channel catfish	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
White catfish	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Minnow														
Common carp	Mean			0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Fallfish	Mean			0.001	0.016	0.020	0.020	0.057	0.045	0.045	0.083	0.083	0.020	0.020
	SE			0.001	0.003	0.005	0.011	0.017	0.015	0.022	0.062	0.062	0.002	0.002
	n			155	585	218	39	54	85	41	6			1183
Grass Carp	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Mirror carp	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Herring														
Gizzard shad	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Panfish														
Black crappie	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Bluegill	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Potadromous spp. – Continued.														
Panfish – Continued.														
Green sunfish	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Pumpkinseed	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Redbreast sunfish	Mean			0.000	0.000	0.009	0.123	0.209	0.067	0.000	0.000			0.020
	SE			0.000	0.000	0.004	0.044	0.051	0.045	0.000	0.000			0.005
	n			155	585	218	39	54	85	41	6			1183
Rock bass	Mean			0.000	0.000	0.004	0.080	0.057	0.003	0.000	0.000			0.006
	SE			0.000	0.000	0.003	0.029	0.020	0.002	0.000	0.000			0.002
	n			155	585	218	39	54	85	41	6			1183
White crappie	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
White perch	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Yellow perch	Mean			0.000	0.000	0.000	0.006	0.002	0.000	0.007	0.000			0.001
	SE			0.000	0.000	0.000	0.004	0.002	0.000	0.007	0.000			0.000
	n			155	585	218	39	54	85	41	6			1183
Pike														
Chain pickerel	Mean			0.001	0.001	0.000	0.003	0.002	0.001	0.000	0.000			0.001
	SE			0.001	0.001	0.000	0.003	0.002	0.001	0.000	0.000			0.000
	n			155	585	218	39	54	85	41	6			1183
Muskellunge	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Northern pike	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Potadromous spp. – Continued.														
Pike – Continued.														
Tiger muskellunge	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Suckers														
White sucker	Mean			0.001	0.000	0.000	0.003	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	SE			0.001	0.000	0.000	0.003	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Trout														
Brook trout	Mean			0.000	0.004	0.002	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.002
	SE			0.000	0.001	0.001	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.001
	n			155	585	218	39	54	85	41	6			1183
Brown trout	Mean			0.285	0.231	0.244	0.050	0.069	0.288	0.124	0.000	0.000	0.000	0.226
	SE			0.032	0.010	0.018	0.018	0.025	0.042	0.023	0.000	0.000	0.000	0.008
	n			155	585	218	39	54	85	41	6			1183
Rainbow trout	Mean			0.059	0.102	0.146	0.026	0.004	0.055	0.056	0.021	0.000	0.000	0.092
	SE			0.011	0.008	0.015	0.015	0.003	0.012	0.017	0.021	0.000	0.000	0.005
	n			155	585	218	39	54	85	41	6			1183
Rainbow trout - Golden	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Tiger trout	Mean			0.001	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	SE			0.001	0.000	0.000	0.000	0.000	0.002	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Trout spp.	Mean			0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	SE			0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
	n			155	585	218	39	54	85	41	6			1183
Walleye	Mean			0.002	0.004	0.018	0.038	0.012	0.102	0.104	0.333	0.000	0.000	0.020
	SE			0.001	0.001	0.007	0.017	0.008	0.025	0.037	0.132	0.000	0.000	0.003
	n			155	585	218	39	54	85	41	6			1183

Table 12. Continued. Monthly mean of daily catch rates (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for all species, including infrequently caught species where catch rates were near 0.000. Sample sizes do not equate to values in Table 1 in instances where fishing time was omitted. (Multiple page table)

Species	Statistic	Month												All
		1	2	3	4	5	6	7	8	9	10	11	12	
2006														
Potadromous spp. – Continued.														
Other														
Goldfish	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
Unknown spp.	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183
White koi	Mean			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	SE			0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	n			155	585	218	39	54	85	41	6			1183

Table 13. Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for all fishing modes derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or species identified as being targeted. (Multiple page table)

Species	Statistic	Month												Not specified	All	
		1	2	3	4	5	6	7	8	9	10	11	12			
2005																
American shad	Mean			0.000	0.444	0.542	0.000								0.895	0.48
	SE			0.000	0.102	0.081	0.000								0.022	0.058
	n			6	31	53	2								4	96
American shad and Trout	Mean					0.734	0.750									0.737
	SE					0.278	0.000									0.213
	n					7	2									9
Any spp.	Mean					1.929	1.926	0.708	2.642							1.776
	SE					0.500	0.296	0.110	0.303							0.280
	n					2	2	3	3							10
Black bass	Mean					1.875	2.344	2.443	3.398	2.759	0.642					2.568
	SE						0.184	0.191	0.306	0.332	0.058					0.117
	n					1	67	53	28	25	3					177
Black bass and Trout	Mean					0.688										0.688
	SE					0.438										0.438
	n					2										2
Black bass and Walleye	Mean										2.5	2.851				2.781
	SE											1.044				0.812
	n										1	4				5
Channel catfish	Mean						0.000	0.000								0.000
	SE							0.000								0.000
	n						1	2								3
Common Carp	Mean				0.054	0.156	0.000			0.062	0.296	0.039	0.000			0.151
	SE				0.054	0.082	0.000			0.062	0.068	0.039				0.033
	n				3	14	5			11	24	12	1			70
Redhorses	Mean					0.000										0.000
	SE					0.000										0.000
	n					2										2
Striped bass	Mean	0.231		0.000		1	0.583	6.426	3.073	1.364				0.000		3.192
	SE	0.231		0.000			0.208	1.285	0.72	0.278				0.000		0.577
	n	2		3		1	5	21	13	9				6		60
Trout	Mean			0.500	0.545	0.326	0.255	0.403	0.351	0.245	0.233					0.329
	SE				0.046	0.013	0.019	0.042	0.047	0.024	0.063					0.01
	n			1	112	621	205	31	40	97	24					1131

Table 13. Continued Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for all fishing modes derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or species identified as being targeted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
Trout and Walleye	Mean										0.250				0.250
	SE										0.250				0.250
	n											2			
Walleye	Mean	1.385					0.057	0.000		0.324	0.167	0.579		0.107	0.340
	SE						0.036	0.000		0.162	0.167	0.279		0.068	0.123
	n	1					6	2		2	2	11		4	28
2006															
American shad	Mean			0.278	0.479	0.000									0.377
	SE			0.278	0.143	0.000									0.112
	n			3	14	3									20
American shad and Black bass	Mean														1.700
	SE														0.900
	n														2
American shad and Trout	Mean														0.167
	SE														0.167
	n														2
American shad, Trout, Black bass, Walleye	Mean														0.400
	SE														0.400
	n														2
Any spp.	Mean						0.636	1.567		4.875	3.179	2.125			2.207
	SE						0.231	0.501		1.125	0.475	0.125			0.358
	n						6	4		2	7	2			21
Black bass	Mean							2.675		3.050	4.405	3.981	2.688	2.857	3.794
	SE							0.985		0.416	0.339	0.502	0.296		0.228
	n						1	8		22	39	9	4		83
Black bass and Walleye	Mean													2.932	1.977
	SE													0.750	0.515
	n													2	6
Common carp	Mean													0.584	0.675
	SE													0.189	0.142
	n													8	16
														6	6
														9	9
														9	48

Table 13. Continued. Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for all fishing modes derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or species identified as being targeted. (Multiple page table)

Species	Statistic	Month												All	
		1	2	3	4	5	6	7	8	9	10	11	12		Not specified
		2006													
Striped bass	Mean	0.000	0.000	0.000	0.000										0.000
	SE	0.000		0.000	0.000										0.000
	n	3	1	12	12										28
Trout	Mean				0.351	0.335	0.417	0.197	0.304	0.424	0.238				0.355
	SE				0.041	0.013	0.024	0.043	0.074	0.053	0.032				0.011
	n				143	513	197	15	13	63	28				972
Trout and Black bass	Mean					0.059	1.625								0.581
	SE					0.059									0.523
	n					2	1								3
Trout and Walleye	Mean										0.125				0.125
	SE										0.000				0.000
	n										2				2
Walleye	Mean	0.000	0.000	0.000							0.188	0.918	0.000		0.414
	SE	0.000									0.188	0.465			0.224
	n	2	1	1							2	5	1		12
White perch	Mean				0.561	0.000									0.240
	SE				0.561	0.000									0.240
	n				3	4									7

Table 14. Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or identified as being targeted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2005															
American shad	Mean			0.000	0.322	0.560									0.371
	SE			0.000	0.108	0.181									0.089
	n			6	24	18									48
American shad and Trout	Mean					0.296									0.296
	SE					0.000									0.000
	n					2									2
Common carp	Mean				0.054	0.156	0.000			0.062	0.296	0.039	0.000		0.151
	SE				0.054	0.082	0.000			0.062	0.068	0.039			0.033
	n				3	14	5			11	24	12	1		70
Striped bass	Mean	0.231		0.000		1.000	0.583	6.426	3.073	1.364				0.000	3.192
	SE	0.231		0.000			0.208	1.285	0.720	0.278				0.000	0.577
	n	2		3		1	5	21	13	9			6		60
Trout	Mean					0.284	0.369	0.326	0.533	0.268					0.334
	SE					0.047	0.043	0.073	0.033	0.051					0.027
	n					25	65	11	2	21					124
Walleye	Mean	1.385											0.104		0.360
	SE												0.104		0.269
	n	1											4		5
2006															
American shad	Mean			0.278	0.496	0.000									0.377
	SE			0.278	0.167	0.000									0.125
	n			3	12	3									18
Black bass	Mean				2.675										2.675
	SE														
	n				1										1
Common carp	Mean				0.584	0.675	0.782				0.815	0.139			0.599
	SE				0.189	0.142	0.176				0.200	0.075			0.078
	n				8	16	6				9	9			48
Striped bass	Mean	0.000	0.000	0.000	0.000										0.000
	SE	0.000		0.000	0.000										0.000
	n	3	1	12	12										28

Table 14. Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for shore anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or identified as being targeted. (Multiple page table)

Species	Statistic	Month												All	
		1	2	3	4	5	6	7	8	9	10	11	12		Not specified
2006															
Trout	Mean				0.111	0.258									0.248
	SE					0.061									0.057
	n				1	13									14
Walleye	Mean	0.000	0.000	0.000							2.714	0.000		0.452	
	SE	0.000												0.452	
	n	2	1	1								1	1	6	
White perch	Mean				0.561	0.000								0.240	
	SE				0.561	0.000								0.240	
	n				3	4								7	

Table 15. Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or species identified as being targeted. (Multiple page table)

Species	Statistic	Month												Not specified	All	
		1	2	3	4	5	6	7	8	9	10	11	12			
2005																
American shad	Mean				0.861	0.532	0.000								0.895	0.588
	SE				0.197	0.082	0.000								0.022	0.071
	n				7	35	2								4	48
American shad and Trout	Mean				0.908	0.750										0.863
	SE				0.369	0.000										0.256
	n				5	2										7
Any spp.	Mean				1.929	1.926	0.708	2.642								1.776
	SE				0.500	0.296	0.110	0.303								0.280
	n				2	2	3	3								10
Black bass	Mean				1.875	2.344	2.443	3.398	2.759	0.642						2.568
	SE					0.184	0.191	0.306	0.332	0.058						0.117
	n				1	67	53	28	25	3						177
Black bass and Trout	Mean				0.688											0.688
	SE				0.438											0.438
	n				2											2
Black bass and Walleye	Mean									2.500	2.851					2.781
	SE										1.044					0.812
	n									1	4					5
Channel catfish	Mean					0.000	0.000									0.000
	SE						0.000									0.000
	n					1	2									3
Redhorses	Mean				0.000											0.000
	SE				0.000											0.000
	n				2											2
Trout	Mean			0.500	0.545	0.328	0.201	0.445	0.341	0.239	0.233					0.329
	SE			0.046	0.013	0.019	0.050	0.049	0.028	0.063						0.011
	n			1	112	596	140	20	38	76	24					1007
Trout and Walleye	Mean									0.250						0.250
	SE									0.250						0.250
	n									2						2
Walleye	Mean					0.057	0.000		0.324	0.167	0.851				0.107	0.335
	SE					0.036	0.000		0.162	0.167	0.408				0.068	0.141
	n					6	2		2	2	7				4	23

Table 15. Continued. Monthly mean of targeted species catch rate (fish/hour) and standard error of catch rate for boat anglers derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006. Mean daily catch rates were reported for species groups or species identified as being targeted. (Multiple page table)

Species	Statistic	Month												Not specified	All
		1	2	3	4	5	6	7	8	9	10	11	12		
2006															
American shad	Mean				0.375										0.375
	SE				0.125										0.125
	n				2										2
American shad and Black bass	Mean						1.700								1.700
	SE						0.900								0.900
	n						2								2
American shad and Trout	Mean				0.167										0.167
	SE				0.167										0.167
	n				2										2
American shad, Trout, Black bass, Walleye	Mean				0.400										0.400
	SE				0.400										0.400
	n				2										2
Any spp.	Mean				0.636	1.567		4.875	3.179	2.125					2.207
	SE				0.231	0.501		1.125	0.475	0.125					0.358
	n				6	4		2	7	2					21
Black bass	Mean						3.050	4.405	3.981	2.688	2.857				3.807
	SE						0.985	0.416	0.339	0.502	0.296				0.230
	n						8	22	39	9	4				82
Black bass and Walleye	Mean							2.932			2.500	0.500			1.977
	SE							0.750			0.167	0.125			0.515
	n							2			2	2			6
Trout	Mean				0.353	0.337	0.417	0.197	0.304	0.424	0.238				0.356
	SE				0.041	0.013	0.024	0.043	0.074	0.053	0.032				0.011
	n				142	500	197	15	13	63	28				958
Trout and Black bass	Mean				0.059	1.625									0.581
	SE				0.059										0.523
	n				2	1									3
Trout and Walleye	Mean										0.125				0.125
	SE										0.000				0.000
	n										2				2
Walleye	Mean										0.188	0.469			0.375
	SE										0.188	0.156			0.125
	n										2	4			6

Table 16. Reported catch frequency by total length for selected species derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006.

Length class (in.)	American shad			Brook trout	Brown trout	Channel catfish	Common Carp	Carp Sucker	Chain pickerel	Fallfish	Grass carp	Goldfish	Hickory shad	Large-mouth bass	Mirror Carp	Red-breast sunfish	Rainbow trout	Small-mouth bass	Striped bass	Tiger trout	Walleye	White catfish	White koi	White sucker	
	Female	Male	Gender unknown																						
2005																									
2-3																									4
4-5																			1						2
5-6					2																				18
6-7					1																				34
7-8					1												1		1						48
8-9					7													2		10					38
9-10					6															15					19
10-11					28					1									9	20					8
11-12					9														8	9					5
12-13					45					6				1					15	9					8
13-14		1			6		4						3						6	7			1		7
14-15		2		1	42	3				4				8					35		2	1	4		4
15-16		3			75	2	4			2				4					46	2	1	1	1	1	1
16-17		9			43	1				1				4					62	1	2				1
17-18	3	16	1		44		2						2						29	2			3		3
18-19	5	21	2		46	1	4												38	2	1		1		1
19-20	4	8			31	1	2												6		1		1		1
20-21	10	14	2		20	1	5												7		1		2		2
21-22	20	6	4		17		8												2				1		1
22-23	25		7		7	2																			
23-24	6		3		3		2																1		
24-25	3		2		2		1																		
25-26	1				1		9																		
26-27			1				6																		
27-28							10																		
29-30							4																		
30-31							2																2		
35-36							1																		
All	77	80	22	1	436	11	64			14			21	1		1	266	82	201	2	15	1		2	

Table 16. Cont. Reported catch frequency by total length for selected species derived from Delaware River and Estuary Angler Log guides and volunteers in 2005 and 2006.

Length class (in.)	American shad			Brook trout	Brown trout	Channel catfish	Common Carp	Carp Sucker	Chain pickerel	Fallfish	Grass carp	Goldfish	Hickory shad	Large-mouth bass	Mirror Carp	Red-breast sunfish	Rainbow trout	Small-mouth bass	Striped bass	Tiger trout	Walleye	White catfish	White koi	White sucker
	Female	Male	unknown																					
2006																								
4-5																		1						
5-6					7																			
6-7					1																			
7-8					16													3						
8-9					50													3						
9-10					1								1					1		1				
10-11					28					1								7	1					
11-12					11													6	1					
12-13				3	67		1			5								16	1					
13-14				1	11		1				1							4						
14-15				3	68		1			1								37	1	2				
15-16					72		3		1	3								17	2					
16-17				1	53		7											41						
17-18			1		68		8											17		1				1
18-19		9	1	3	78		16	1				1				1		28						
19-20			4		36		5									1		12		1		2		
20-21	4	1	1		35		8	2										3						
21-22	1	1	1	4	26		4											1				1		
22-23			4		13		4											1						1
23-24			2		12																			
24-25					1																			
25-26							2																	
26-27					1		6																	
27-28							7																	
28-29							4																	
29-30							5																	
30-31							2																	
31-32							1																	
32-33							2																	
34-35							2																	
35-36							1																	
36-37							3																	
37-38							1																	
38-39							1																	
All	5	11	14	15	655		95	3	1	10	1	1	1			2	198	6	5		3		1	1

